

# Круглые соединители серии М

## Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04  
Ангарск (3955)60-70-56  
Архангельск (8182)63-90-72  
Астрахань (8512)99-46-04  
Барнаул (3852)73-04-60  
Белгород (4722)40-23-64  
Благовещенск (4162)22-76-07  
Брянск (4832)59-03-52  
Владивосток (423)249-28-31  
Владикавказ (8672)28-90-48  
Владимир (4922)49-43-18  
Волгоград (844)278-03-48  
Вологда (8172)26-41-59  
Воронеж (473)204-51-73  
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06  
Ижевск (3412)26-03-58  
Иркутск (395)279-98-46  
Казань (843)206-01-48  
Калининград (4012)72-03-81  
Калуга (4842)92-23-67  
Кемерово (3842)65-04-62  
Киров (8332)68-02-04  
Коломна (4966)23-41-49  
Кострома (4942)77-07-48  
Краснодар (861)203-40-90  
Красноярск (391)204-63-61  
Курск (4712)77-13-04  
Курган (3522)50-90-47  
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13  
Москва (495)268-04-70  
Мурманск (8152)59-64-93  
Набережные Челны (8552)20-53-41  
Нижний Новгород (831)429-08-12  
Новокузнецк (3843)20-46-81  
Ноябрьск (3496)41-32-12  
Новосибирск (383)227-86-73  
Омск (3812)21-46-40  
Орел (4862)44-53-42  
Оренбург (3532)37-68-04  
Пенза (8412)22-31-16  
Петрозаводск (8142)55-98-37  
Псков (8112)59-10-37  
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15  
Рязань (4912)46-61-64  
Самара (846)206-03-16  
Санкт-Петербург (812)309-46-40  
Саратов (845)249-38-78  
Севастополь (8692)22-31-93  
Саранск (8342)22-96-24  
Симферополь (3652)67-13-56  
Смоленск (4812)29-41-54  
Сочи (862)225-72-31  
Ставрополь (8652)20-65-13  
Сургут (3462)77-98-35  
Сыктывкар (8212)25-95-17  
Тамбов (4752)50-40-97  
Тверь (4822)63-31-35

Тольятти (8482)63-91-07  
Томск (3822)98-41-53  
Тула (4872)33-79-87  
Тюмень (3452)66-21-18  
Ульяновск (8422)24-23-59  
Улан-Удэ (3012)59-97-51  
Уфа (347)229-48-12  
Хабаровск (4212)92-98-04  
Чебоксары (8352)28-53-07  
Челябинск (351)202-03-61  
Череповец (8202)49-02-64  
Чита (3022)38-34-83  
Якутск (4112)23-90-97  
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: [doc@nt-rt.ru](mailto:doc@nt-rt.ru) || сайт: <https://degson.nt-rt.ru>



## M Series

Complete variety, compact design, multiple installation methods. Applicable to almost every field.



### PC-M12A-MM-SL7001

Field mounted, Male, straight, M12, A code, Rivet crimping, cable diameter 4.0~8.0 mm



### PC-M12A-FF-SL7001

Field mounted, Female, straight, M12, A code, Rivet crimping, cable diameter 4.0~8.0 mm



### **PC-M12A-MM-SR7001**

Field mounted, Male, Right Angle, M12, A code, Rivet crimping, cable diameter 4.0~8.0 mm



### **PC-M12A-FF-SR7001**

Field mounted, Female, Right Angle, M12, A code, Rivet crimping, cable diameter 4.0~8.0 mm



### **PCSH-M12A-MM-SL7002**

Field mounted, shielded, Male, straight, M12, A code, Rivet crimping, cable diameter 6.0-7.5mm



### **PCSH-M12A-FF-SL7002**

Field mounted, shielded, Female, straight, M12,A code, Rivet crimping, cable diameter 6.0-7.5mm



### **PCSH-M12A-MM-SR7002**

Field mounted, shielded, Male,Right Angle, M12,A code, Rivet crimping, cable diameter 6.0-7.5mm



### **PCSH-M12A-FF-SR7002**

Field mounted, shielded, Female,Right Angle, M12,A code, Rivet crimping, cable diameter 6.0-7.5mm



### **PB-M8A-FF-SR7001**

Field installation, unshielded, Female, Right Angle, M8, code A, Screw connector, cable diameter 4.0~6.0 mm



### **PB-M8A-MM-SR7001**

Field installation, unshielded, Male, Right Angle, M8, code A, Screw connector, cable diameter 4.0~6.0 mm



### **SESH-M12A-FF-SM8A01**

Sensor/Actuator Female socket, Shielded, Female, M12, code A, Rear panel installation / M16 threaded mount, Cable length 1m



### **SESH-M12A-MM-SM8A01**

Sensor/Actuator Male socket, Shielded, Male, M12, code A, Rear panel installation / M16 threaded mount, Cable length 1m



### **SESH-M8A-MM-SC7A01**

Sensor/Actuator Male socket, Shielded, Male, M8, code A, Rear panel installation / M8\*1.0 threaded mount, Cable length 1m



### **SESH-M8A-FF-SA7A01**

Sensor/Actuator Female socket, Shielded, Female, M8, code A, Rear panel installation / M10\*0.75 threaded mount, Cable length 1m



### **PCSH-M12D-04P-FF-SL7002**

Field mounted, shielded, Female, straight, M12,D code, Rivet crimping, cable diameter 6.0-7.5mm



### **PCSH-M12D-04P-FF-SR7002**

Field mounted, shielded, Female, Right Angle, M12,D code, Rivet crimping, cable diameter 6.0-7.5mm



### **PCSH-M12D-04P-MM-SL7002**

Field mounted, shielded, Male, straight, M12,D code, Rivet crimping, cable diameter 6.0-7.5mm



### **PCSH-M12D-04P-MM-SR7002**

Field mounted, shielded, Male, Right Angle, M12,D code, Rivet crimping, cable diameter 6.0-7.5mm



### **PCSH-M12X-08P-FF-SL7001**

Field mounted, shielded, Female, straight, M12,X code, Rivet crimping, cable diameter 4.5-6.0 mm



### **PCSH-M12X-08P-MM-SL7001**

Field mounted, shielded, Male, straight, M12,X code, Rivet crimping, cable diameter 4.5-6.0 mm



### **SP-M8A-FF-SH7002**

Sensor/Actuator Female socket,M8,Coding A,Unshielded,Front panel installation/M8\*0.5 Thread mounted,180° vertical pins



### **SP-M8A-MM-SH7002**

Sensor/Actuator Male socket,M8,Coding A,Unshielded,Front panel installation/M8\*0.5  
Thread mounted,180° vertical pins



### **SPSH-M8A-06P-MM-SF7003**

Sensor/Actuator Male socket,M8,Coding A,shielded,Rear panel installation/M8\*1.0  
Thread mounted,180° vertical pins



### **PM-M12A-FF-SL8A**

Sensor/Actuator Cable,PVC,black,UL2517,Female plug,Straight M12,Coding  
A,Unshielded,Trimming cable end,Cable Cable length:1m



### **PM-M12B-FF-SL8A**

Sensor/Actuator Cable,PVC,black,UL2517,Female plug,Straight M12,Coding  
B,Unshielded,Trimming cable end,Cable Cable length:1m



### **PM-M12D-FF-SL8A**

Sensor/Actuator Cable,PVC,black,UL2517,Female plug,Straight M12,Coding D,Unshielded,Trimming cable end,Cable Cable length:1m



### **PM-M12S-FF-SL8A**

Sensor/Actuator Cable,PVC,black,UL2517,Female plug,Straight M12,Coding S,Unshielded,Trimming cable end,Cable Cable length:1m



### **PM-M12T-FF-SL8A**

Sensor/Actuator Cable,PVC,black,UL2517,Female plug,Straight M12,Coding T,Unshielded,Trimming cable end,Cable Cable length:1m



### **PM-M12A-FF-SL8B**

Sensor/Actuator Cable,PUR,black,UL20549,Female plug,Straight M12,Coding A,Unshielded,Trimming cable end,Cable Cable length:1m



### **PM-M12B-FF-SL8B**

Sensor/Actuator Cable,PUR,black,UL20549,Female plug,Straight M12,Coding B,Unshielded,Trimming cable end,Cable Cable length:1m



### **PM-M12D-FF-SL8B**

Sensor/Actuator Cable,PUR,black,UL20549,Female plug,Straight M12,Coding D,Unshielded,Trimming cable end,Cable Cable length:1m



### **PM-M12S-FF-SL8B**

Sensor/Actuator Cable,PUR,black,UL20549,Female plug,Straight M12,Coding S,Unshielded,Trimming cable end,Cable Cable length:1m



### **PM-M12T-FF-SL8B**

Sensor/Actuator Cable,PUR,black,UL 20549,Female plug,Straight M12,Coding T,Unshielded,Trimming cable end,Cable Cable length:1m



### **PM-M12A-FF-SL8C**

Sensor/Actuator Cable,PVC,black,UL2517,Female plug,Straight M12,Coding A,Unshielded,Trimming cable end,Cable Cable length:1m,UL Certification




### **PM-M12B-FF-SL8C**

Sensor/Actuator Cable,PVC,black,UL2517,Female plug,Straight M12,Coding B,Unshielded,Trimming cable end,Cable Cable length:1m,UL Certification



### **PM-M12D-FF-SL8C**

Sensor/Actuator Cable,PVC,black,UL2517,Female plug,Straight M12,Coding D,Unshielded,Trimming cable end,Cable Cable length:1m,UL Certification





### **PM-M12A-FF-SL8D**

Sensor/Actuator Cable,PUR,black,UL20549,Female plug,Straight M12,Coding A,Unshielded,Trimming cable end,Cable Cable length:1m,UL Certification



### **PM-M12B-FF-SL8D**

Sensor/Actuator Cable,PUR,black,UL20549,Female plug,Straight M12,Coding B,Unshielded,Trimming cable end,Cable Cable length:1m,UL Certification



### **PM-M12D-FF-SL8D**

Sensor/Actuator Cable,PUR,black,UL20549,Female plug,Straight M12,Coding D,Unshielded,Trimming cable end,Cable Cable length:1m,UL Certification



### **PM-M12A-MM-SL8A**

Sensor/Actuator Cable,PVC,black,UL2517, Male plug,Straight M12,Coding A,Unshielded,Trimming cable end,Cable Cable length:1m



### **PM-M12B-MM-SL8A**

Sensor/Actuator Cable,PVC,black,UL2517, Male plug,Straight M12,Coding B,Unshielded,Trimming cable end,Cable Cable length:1m



### **PM-M12D-MM-SL8A**

Sensor/Actuator Cable,PVC,black,UL2517, Male plug,Straight M12,Coding D,Unshielded,Trimming cable end,Cable Cable length:1m



### **PM-M12S-MM-SL8A**

Sensor/Actuator Cable,PVC,black,UL2517, Male plug,Straight M12,Coding S,Unshielded,Trimming cable end,Cable Cable length:1m



### **PM-M12T-MM-SL8A**

Sensor/Actuator Cable,PVC,black,UL2517,Male plug,Straight M12,Coding T,Unshielded,Trimming cable end,Cable Cable length:1m



### **PM-M12A-MM-SL8B**

Sensor/Actuator Cable,PUR,black,UL20549,Male plug,Straight M12,Coding A,Unshielded,Trimming cable end,Cable Cable length:1m



### **PM-M12B-MM-SL8B**

Sensor/Actuator Cable,PUR,black,UL20549,Male plug,Straight M12,Coding B,Unshielded,Trimming cable end,Cable Cable length:1m



### **PM-M12D-MM-SL8B**

Sensor/Actuator Cable,PUR,black,UL20549,Male plug,Straight M12,Coding D,Unshielded,Trimming cable end,Cable Cable length:1m



### **PM-M12S-MM-SL8B**

Sensor/Actuator Cable,PUR,black,UL20549,Male plug,Straight M12,Coding S,Unshielded,Trimming cable end,Cable Cable length:1m



### **PM-M12T-MM-SL8B**

Sensor/Actuator Cable,PUR,black,UL20549,Male plug,Straight M12,Coding T,Unshielded,Trimming cable end,Cable Cable length:1m



### **PM-M12A-MM-SL8C**

Sensor/Actuator Cable,PVC,black,UL2517,Male plug,Straight M12,Coding A,Unshielded,Trimming cable end,Cable Cable length:1m,UL Certification



### **PM-M12B-MM-SL8C**

Sensor/Actuator Cable,PVC,black,UL2517,Male plug,Straight M12,Coding B,Unshielded,Trimming cable end,Cable Cable length:1m,UL Certification



### **PM-M12D-MM-SL8C**

Sensor/Actuator Cable,PVC,black,UL2517,Male plug,Straight M12,Coding D,Unshielded,Trimming cable end,Cable Cable length:1m,UL Certification



### **PM-M12A-MM-SL8D**

Sensor/Actuator Cable,PUR,black,UL20549,Male plug,Straight M12,Coding A,Unshielded,Trimming cable end,Cable Cable length:1m,UL Certification



### **PM-M12B-MM-SL8D**

Sensor/Actuator Cable,PUR,black,UL20549,Male plug,Straight M12,Coding B,Unshielded,Trimming cable end,Cable Cable length:1m,UL Certification



### **PM-M12D-MM-SL8D**

Sensor/Actuator Cable,PUR,black,UL20549,Male plug,Straight M12,Coding D,Unshielded,Trimming cable end,Cable Cable length:1m,UL Certification



### **PM-M12A-FF-SR8A**

Sensor/Actuator Cable,PVC,black,UL2517,Female plug,acodado M12,Coding A,Unshielded,Trimming cable end,Cable Cable length:1m



### **PM-M12B-FF-SR8A**

Sensor/Actuator Cable,PVC,black,UL2517,Female plug,acodado M12,Coding B,Unshielded,Trimming cable end,Cable Cable length:1m



### **PM-M12D-FF-SR8A**

Sensor/Actuator Cable,PVC,black,UL2517,Female plug,acodado M12,Coding D,Unshielded,Trimming cable end,Cable Cable length:1m



### **PM-M12S-FF-SR8A**

Sensor/Actuator Cable,PVC,black,UL2517,Female plug,acodado M12,Coding S,Unshielded,Trimming cable end,Cable Cable length:1m



### **PM-M12T-FF-SR8A**

Sensor/Actuator Cable,PVC,black,UL2517,Female plug,acodado M12,Coding T,Unshielded,Trimming cable end,Cable Cable length:1m



### **PM-M12A-FF-SR8B**

Sensor/Actuator Cable,PUR,black,UL20549,Female plug,acodado M12,Coding A,Unshielded,Trimming cable end,Cable Cable length:1m



### **PM-M12B-FF-SR8B**

Sensor/Actuator Cable,PUR,black,UL20549,Female plug,acodado M12,Coding B,Unshielded,Trimming cable end,Cable Cable length:1m



#### **PM-M12D-FF-SR8B**

Sensor/Actuator Cable,PUR,black,UL20549,Female plug,acodado M12,Coding D,Unshielded,Trimming cable end,Cable Cable length:1m



#### **PM-M12S-FF-SR8B**

Sensor/Actuator Cable,PUR,black,UL20549,Female plug,acodado M12,Coding S,Unshielded,Trimming cable end,Cable Cable length:1m



#### **PM-M12T-FF-SR8B**

Sensor/Actuator Cable,PUR,black,UL20549,Female plug,acodado M12,Coding T,Unshielded,Trimming cable end,Cable Cable length:1m



### **PM-M12A-FF-SR8C**

Sensor/Actuator Cable,PVC,black,UL2517,Female plug,acodado M12,Coding A,Unshielded,Trimming cable end,Unshielded,Cable Cable length:1m,UL Certification



### **PM-M12B-FF-SR8C**

Sensor/Actuator Cable,PVC,black,UL2517,Female plug,acodado M12,Coding B,Unshielded,Trimming cable end,Unshielded,Cable Cable length:1m,UL Certification



### **PM-M12D-FF-SR8C**

Sensor/Actuator Cable,PVC,black,UL2517,Female plug,acodado M12,Coding D,Unshielded,Trimming cable end,Unshielded,Cable Cable length:1m,UL Certification



### **PM-M12A-FF-SR8D**

Sensor/Actuator Cable,PUR,black,UL20549,Female plug,acodado M12,Coding A,Unshielded,Trimming cable end,Cable Cable length:1m,UL Certification



#### **PM-M12B-FF-SR8D**

Sensor/Actuator Cable,PUR,black,UL20549,Female plug,acodado M12,Coding B,Unshielded,Trimming cable end,Cable Cable length:1m,UL Certification



#### **PM-M12D-FF-SR8D**

Sensor/Actuator Cable,PUR,black,UL20549,Female plug,acodado M12,Coding D,Unshielded,Trimming cable end,Cable Cable length:1m,UL Certification



#### **PM-M12A-MM-SR8A**

Sensor/Actuator Cable,PVC,black,UL2517,Male plug,acodado M12,Coding A,Unshielded,Trimming cable end,Cable Cable length:1m



#### **PM-M12B-MM-SR8A**

Sensor/Actuator Cable,PVC,black,UL2517, Male plug,acodado M12,Coding B,Unshielded,Trimming cable end,Cable Cable length:1m



#### **PM-M12D-MM-SR8A**

Sensor/Actuator Cable,PVC,black,UL2517, Male plug,acodado M12,Coding D,Unshielded,Trimming cable end,Cable Cable length:1m



#### **PM-M12S-MM-SR8A**

Sensor/Actuator Cable,PVC,black,UL2517, Male plug,acodado M12,Coding S,Unshielded,Trimming cable end,Cable Cable length:1m



#### **PM-M12T-MM-SR8A**

Sensor/Actuator Cable,PVC,black,UL2517,Male plug,acodado M12,Coding T,Unshielded,Trimming cable end,Cable Cable length:1m



#### **PM-M12A-MM-SR8B**

Sensor/Actuator Cable,PUR,black,UL20549,Male plug,acodado M12,Coding A,Unshielded,Trimming cable end,Cable Cable length:1m



#### **PM-M12B-MM-SR8B**

Sensor/Actuator Cable,PUR,black,UL20549,Male plug,acodado M12,Coding B,Unshielded,Trimming cable end,Cable Cable length:1m



#### **PM-M12D-MM-SR8B**

Sensor/Actuator Cable,PUR,black,UL20549,Male plug,acodado M12,Coding D,Unshielded,Trimming cable end,Cable Cable length:1m



### **PM-M12S-MM-SR8B**

Sensor/Actuator Cable,PUR,black,UL20549,Male plug,acodado M12,Coding S,Unshielded,Trimming cable end,Cable Cable length:1m



### **PM-M12T-MM-SR8B**

Sensor/Actuator Cable,PUR,black,UL20549,Male plug,acodado M12,Coding T,Unshielded,Trimming cable end,Cable Cable length:1m



### **PM-M12A-MM-SR8C**

Sensor/Actuator Cable,PVC,black,UL2517,Male plug,acodado M12,Coding A,Unshielded,Trimming cable end,Unshielded,Cable Cable length:1m,UL Certification



### **PM-M12B-MM-SR8C**

Sensor/Actuator Cable,PVC,black,UL2517,Male plug,acodado M12,Coding B,Unshielded,Trimming cable end,Unshielded,Cable Cable length:1m,UL Certification



#### **PM-M12D-MM-SR8C**

Sensor/Actuator Cable,PVC,black,UL2517,Male plug,acodado M12,Coding D,Unshielded,Trimming cable end,Unshielded,Cable Cable length:1m,UL Certification



#### **PM-M12A-MM-SR8D**

Sensor/Actuator Cable,PUR,black,UL20549,Male plug,acodado M12,Coding A,Unshielded,Trimming cable end,Cable Cable length:1m,UL Certification



#### **PM-M12B-MM-SR8D**

Sensor/Actuator Cable,PUR,black,UL20549,Male plug,acodado M12,Coding B,Unshielded,Trimming cable end,Cable Cable length:1m,UL Certification



### **PM-M12D-MM-SR8D**

Sensor/Actuator Cable,PUR,black,UL20549,Male plug,acodado M12,Coding D,Unshielded,Trimming cable end,Cable Cable length:1m,UL Certification



### **PMSH-M12A-FF-SL8A**

Sensor/Actuator Cable,PVC,black,UL2517,Female plug,Straight,M12,Coding A,Shielded,Trimming cable end,Cable Cable length:1m



### **PMSH-M12B-FF-SL8A**

Sensor/Actuator Cable,PVC,black,UL2517,Female plug,Straight,M12,Coding B,Shielded,Trimming cable end,Cable Cable length:1m



### **PMSH-M12D-FF-SL8A**

Sensor/Actuator Cable,PVC,black,UL2517,Female plug,Straight,M12,Coding D,Shielded,Trimming cable end,Cable Cable length:1m



### **PMSH-M12A-FF-SL8B**

Sensor/Actuator Cable,PUR,black,UL20549,Female plug,Straight,M12,Coding A,Shielded,Trimming cable end,Cable Cable length:1m



### **PMSH-M12B-FF-SL8B**

Sensor/Actuator Cable,PUR,black,UL20549,Female plug,Straight,M12,Coding B,Shielded,Trimming cable end,Cable Cable length:1m



### **PMSH-M12A-FF-SL8C**

Sensor/Actuator Cable,PVC,black,UL2517,Female plug,Straight,M12,Coding A,Shielded,Trimming cable end,Cable Cable length:1m,UL Certification



### **PMSH-M12B-FF-SL8C**

Sensor/Actuator Cable,PVC,black,UL2517,Female plug,Straight,M12,Coding B,Shielded,Trimming cable end,Cable Cable length:1m,UL Certification



### **PMSH-M12A-FF-SL8D**

Sensor/Actuator Cable,PUR,black,UL20549,Female plug,Straight,M12,Coding A,Shielded,Trimming cable end,Cable Cable length:1m,UL Certification



### **PMSH-M12B-FF-SL8D**

Sensor/Actuator Cable,PUR,black,UL20549,Female plug,Straight,M12,Coding B,Shielded,Trimming cable end,Cable Cable length:1m,UL Certification



### **PMSH-M12A-MM-SL8A**

Sensor/Actuator Cable,PVC,black,UL2517,Male plug,Straight,M12,Coding A,Shielded,Trimming cable end,Cable Cable length:1m



### **PMSH-M12B-MM-SL8A**

Sensor/Actuator Cable,PVC,black,UL2517,Male plug,Straight,M12,Coding B,Shielded,Trimming cable end,Cable Cable length:1m



### **PMSH-M12D-MM-SL8A**

Sensor/Actuator Cable,PVC,black,UL2517, Male plug, Straight, M12, Coding D, Shielded, Trimming cable end, Cable Cable length:1m



### **PMSH-M12A-MM-SL8B**

Sensor/Actuator Cable,PUR,black,UL20549, Male plug, Straight, M12, Coding A, Shielded, Trimming cable end, Cable Cable length:1m



### **PMSH-M12B-MM-SL8B**

Sensor/Actuator Cable,PUR,black,UL20549, Male plug, Straight, M12, Coding B, Shielded, Trimming cable end, Cable Cable length:1m



### **PMSH-M12A-MM-SL8C**

Sensor/Actuator Cable,PVC,black,UL2517,Male plug,Straight,M12,Coding A,Shielded,Trimming cable end,Cable Cable length:1m,UL Certification



### **PMSH-M12B-MM-SL8C**

Sensor/Actuator Cable,PVC,black,UL2517,Male plug,Straight,M12,Coding B,Shielded,Trimming cable end,Cable Cable length:1m,UL Certification



### **PMSH-M12A-MM-SL8D**

Sensor/Actuator Cable,PUR,black,UL20549,Male plug,Straight,M12,Coding A,Shielded,Trimming cable end,Cable Cable length:1m,UL Certification



### **PMSH-M12B-MM-SL8D**

Sensor/Actuator Cable,PUR,black,UL20549,Male plug,Straight,M12,Coding B,Shielded,Trimming cable end,Cable Cable length:1m,UL Certification



### **PMSH-M12A-FF-SR8A**

Sensor/Actuator Cable,PVC,black,UL2517,Female plug,Angled,M12,Coding A,Shielded,Trimming cable end,Cable Cable length:1m



### **PMSH-M12B-FF-SR8A**

Sensor/Actuator Cable,PVC,black,UL2517,Female plug,Angled,M12,Coding B,Shielded,Trimming cable end,Cable Cable length:1m



### **PMSH-M12D-FF-SR8A**

Sensor/Actuator Cable,PVC,black,UL2517,Female plug,Angled,M12,Coding D,Shielded,Trimming cable end,Cable Cable length:1m



### **PMSH-M12A-FF-SR8B**

Sensor/Actuator Cable,PUR,black,UL20549,Female plug,Angled,M12,Coding A,Shielded,Trimming cable end,Cable Cable length:1m



### **PMSH-M12B-FF-SR8B**

Sensor/Actuator Cable,PUR,black,UL20549,Female plug,Angled,M12,Coding B,Shielded,Trimming cable end,Cable Cable length:1m



### **PMSH-M12A-FF-SR8C**

Sensor/Actuator Cable,PVC,black,UL2517,Female plug,Angled,M12,Coding A,Shielded,Trimming cable end,Cable Cable length:1m,UL Certification



### **PMSH-M12B-FF-SR8C**

Sensor/Actuator Cable,PVC,black,UL2517,Female plug,Angled,M12,Coding B,Shielded,Trimming cable end,Cable Cable length:1m,UL Certification



### **PMSH-M12A-FF-SR8D**

Sensor/Actuator Cable,PUR,black,UL20549,Female plug,Angled,M12,Coding A,Shielded,Trimming cable end,Cable Cable length:1m,UL Certification



### **PMSH-M12B-FF-SR8D**

Sensor/Actuator Cable,PUR,black,UL20549,Female plug,Angled,M12,Coding B,Shielded,Trimming cable end,Cable Cable length:1m,UL Certification



### **PMSH-M12A-MM-SR8A**

Sensor/Actuator Cable,PVC,black,UL2517,Male plug,Angled,M12,Coding A,Shielded,Trimming cable end,Cable Cable length:1m



### **PMSH-M12B-MM-SR8A**

Sensor/Actuator Cable,PVC,black,UL2517,Male plug,Angled,M12,Coding B,Shielded,Trimming cable end,Cable Cable length:1m



### **PMSH-M12D-MM-SR8A**

Sensor/Actuator Cable,PVC,black,UL2517,Male plug,Angled,M12,Coding D,Shielded,Trimming cable end,Cable Cable length:1m



### **PMSH-M12A-MM-SR8B**

Sensor/Actuator Cable,PUR,black,UL20549,Male plug,Angled,M12,Coding A,Shielded,Trimming cable end,Cable Cable length:1m



### **PMSH-M12B-MM-SR8B**

Sensor/Actuator Cable,PUR,black,UL20549,Male plug,Angled,M12,Coding B,Shielded,Trimming cable end,Cable Cable length:1m



### **PMSH-M12A-MM-SR8C**

Sensor/Actuator Cable,PVC,black,UL2517,Male plug,Angled,M12,Coding A,Shielded,Trimming cable end,Cable Cable length:1m,UL Certification

### **PMSH-M12B-MM-SR8C**

Sensor/Actuator Cable,PVC,black,UL2517,Male plug,Angled,M12,Coding B,Shielded,Trimming cable end,Cable Cable length:1m,UL Certification



### **PMSH-M12A-MM-SR8D**

Sensor/Actuator Cable,PUR,black,UL20549,Male plug,Angled,M12,Coding A,Shielded,Trimming cable end,Cable Cable length:1m,UL Certification



### **PMSH-M12B-MM-SR8D**

Sensor/Actuator Cable,PUR,black,UL20549,Male plug,Angled,M12,Coding B,Shielded,Trimming cable end,Cable Cable length:1m,UL Certification




### **PMSH-M12D-FF-SL8E**

Sensor/Actuator Cable,Cat 5E,Female plug,Straight,M12,Coding D,Shielded,Trimming cable end,Cable Cable length:1m

### **PMSH-M12X-FF-SL7X**

Sensor/Actuator Cable,Cat 6A,blue,Female plug,Straight,M12,Coding X,Shielded,Trimming cable end,Cable Cable length:1m



### **PMSH-M12D-FF-SR8E**

Sensor/Actuator Cable,Cat 5E,green,Female plug,Angled,M12,Coding D,Shielded,Trimming cable end,Cable Cable length:1m



### **PMSH-M12D-MM-SL8E**

Sensor/Actuator Cable,Cat 5E,green,Male plug,Straight,M12,Coding D,Shielded,Trimming cable end,Cable Cable length:1m




### **PMSH-M12X-MM-SL7X**

Sensor/Actuator Cable,Cat 6A,blue,Male plug,Straight,M12,Coding X,Shielded,Trimming cable end,Cable Cable length:1m



### **PMSH-M12D-MM-SR8E**

Sensor/Actuator Cable,Cat 5E,green,Male plug,Angled,M12,Coding D,Shielded,Trimming cable end,Cable Cable length:1m



### **PB-M12A-FF-SL7001**

Field mounted,Female,Straight,M12,Coding A,Screw connection,Cable External cable diameter 4.0~8.0 mm



### **PB-M12B-FF-SL7001**

Field mounted,Female,Straight,M12,Coding B,Screw connection,Cable External cable diameter 4.0~8.0 mm



### **PB-M12D-FF-SL7001**

Field mounted,Female,Straight,M12,Coding D,Screw connection,Cable External cable diameter 4.0~8.0 mm



### **PB-M12A-MM-SL7001**

Field mounted, Male, Straight, M12, Coding A, Screw connection, Cable External cable diameter 4.0~8.0 mm



### **PB-M12B-MM-SL7001**

Field mounted, Male, Straight, M12, Coding B, Screw connection, Cable External cable diameter 4.0~8.0 mm



### **PB-M12D-MM-SL7001**

Field mounted, Male, Straight, M12, Coding D, Screw connection, Cable External cable diameter 4.0~8.0 mm



### **PB-M12A-FF-SR7001**

Field mounted,Female,Angled,M12,Coding A,Screw connection,Cable External cable diameter 4.0~8.0 mm



### **PB-M12B-FF-SR7001**

Field mounted,Female,Angled,M12,Coding B,Screw connection,Cable External cable diameter 4.0~8.0 mm



### **PB-M12D-FF-SR7001**

Field mounted,Female,Angled,M12,Coding D,Screw connection,Cable External cable diameter 4.0~8.0 mm



### **PB-M12A-MM-SR7001**

Field mounted, Male, Angled, M12, Coding A, Screw connection, Cable External cable diameter 4.0~8.0 mm



### **PB-M12B-MM-SR7001**

Field mounted, Male, Angled, M12, Coding B, Screw connection, Cable External cable diameter 4.0~8.0 mm



### **PB-M12D-MM-SR7001**

Field mounted, Male, Angled, M12, Coding D, Screw connection, Cable External cable diameter 4.0~8.0 mm



### **PA-M12A-FF-SL7001**

Field mounted,Female,Straight,M12,Coding A,Soldering connection,Cable External  
cable diameter 4.0~8.0 mm



### **PA-M12B-FF-SL7001**

Field mounted,Female,Straight,M12,Coding B,Soldering connection,Cable External  
cable diameter 4.0~8.0 mm



### **PA-M12D-FF-SL7001**

Field mounted,Female,Straight,M12,Coding D,Soldering connection,Cable External  
cable diameter 4.0~8.0 mm



### **PA-M12A-MM-SL7001**

Field mounted, Male, Straight, M12, Coding A, Soldering connection, Cable External cable diameter 4.0~8.0 mm



### **PA-M12B-MM-SL7001**

Field mounted, Male, Straight, M12, Coding B, Soldering connection, Cable External cable diameter 4.0~8.0 mm



### **PA-M12D-MM-SL7001**

Field mounted, Male, Straight, M12, Coding D, Soldering connection, Cable External cable diameter 4.0~8.0 mm



### **PA-M12A-FF-SR7001**

Field mounted, Female, Angled, M12, Coding A, Soldering connection, Cable External cable diameter 4.0~8.0 mm



### **PA-M12B-FF-SR7001**

Field mounted,Female,Angled,M12,Coding B,Soldering connection,Cable External cable diameter 4.0~8.0 mm



### **PA-M12D-FF-SR7001**

Field mounted,Female,Angled,M12,Coding B,Soldering connection,Cable External cable diameter 4.0~8.0 mm



### **PA-M12A-MM-SR7001**

Field mounted,Male,Angled,M12,Coding A,Soldering connection,Cable External cable diameter 4.0~8.0 mm



### **PA-M12B-MM-SR7001**

Field mounted, Male, Angled, M12, Coding B, Soldering connection, Cable External cable diameter 4.0~8.0 mm



### **PA-M12D-MM-SR7001**

Field mounted, Male, Angled, M12, Coding D, Soldering connection, Cable External cable diameter 4.0~8.0 mm



### **PBSH-M12A-FF-SL7001**

Field mounted, Shielded, Female, Straight, M12, Coding A, Screw connection, Cable External cable diameter 4.5~6.0 mm



### **PBSH-M12B-FF-SL7001**

Field mounted, Shielded, Female, Straight, M12, Coding B, Screw connection, Cable External cable diameter 4.5~6.0 mm



### **PBSH-M12D-FF-SL7001**

Field mounted,Shielded,Female,Straight,M12,Coding D,Screw connection,Cable  
External cable diameter 4.5~6.0 mm



### **PBSH-M12A-FF-SL7002**

Field mounted,Shielded,Female,Straight,M12,Coding A,Screw connection,Cable  
External cable diameter 6.0~7.5mm



### **PBSH-M12B-FF-SL7002**

Field mounted,Shielded,Female,Straight,M12,Coding B,Screw connection,Cable  
External cable diameter 6.0~7.5mm



### **PBSH-M12D-FF-SL7002**

Field mounted,Shielded,Female,Straight,M12,Coding D,Screw connection,Cable  
External cable diameter 6.0~7.5mm



### **PBSH-M12A-MM-SL7001**

Field mounted,Shielded,Male,Straight,M12,Coding A,Screw connection,Cable External  
cable diameter 4.5~6.0 mm



### **PBSH-M12B-MM-SL7001**

Field mounted,Shielded,Male,Straight,M12,Coding B,Screw connection,Cable External  
cable diameter 4.5~6.0 mm



### **PBSH-M12D-MM-SL7001**

Field mounted,Shielded,Male,Straight,M12,Coding D,Screw connection,Cable External  
cable diameter 4.5~6.0 mm



### **PBSH-M12A-MM-SL7002**

Field mounted,Shielded,Male,Straight,M12,Coding A,Screw connection,Cable External cable diameter 6.0~7.5mm



### **PBSH-M12B-MM-SL7002**

Field mounted,Shielded,Male,Straight,M12,Coding B,Screw connection,Cable External cable diameter 6.0~7.5mm



### **PBSH-M12D-MM-SL7002**

Field mounted,Shielded,Male,Straight,M12,Coding D,Screw connection,Cable External cable diameter 6.0~7.5mm



### **PBSH-M12A-FF-SR7001**

Field mounted,Shielded,Female,Angled,M12,Coding A,Screw connection,Cable  
External cable diameter 4.5~6.0 mm



### **PBSH-M12B-FF-SR7001**

Field mounted,Shielded,Female,Angled,M12,Coding B,Screw connection,Cable  
External cable diameter 4.5~6.0 mm



### **PBSH-M12D-FF-SR7001**

Field mounted,Shielded,Female,Angled,M12,Coding D,Screw connection,Cable  
External cable diameter 4.5~6.0 mm



### **PBSH-M12A-FF-SR7002**

Field mounted,Shielded,Female,Angled,M12,Coding A,Screw connection,Cable  
External cable diameter 6.0~7.5mm



### **PBSH-M12B-FF-SR7002**

Field mounted,Shielded,Female,Angled,M12,Coding B,Screw connection,Cable  
External cable diameter 6.0~7.5mm



### **PBSH-M12D-FF-SR7002**

Field mounted,Shielded,Female,Angled,M12,Coding D,Screw connection,Cable  
External cable diameter 6.0~7.5mm



### **PBSH-M12A-MM-SR7001**

Field mounted,Shielded,Male,Angled,M12,Coding A,Screw connection,Cable External  
cable diameter 4.5~6.0 mm



### **PBSH-M12B-MM-SR7001**

Field mounted,Shielded,Male,Angled,M12,Coding B,Screw connection,Cable External cable diameter 4.5~6.0 mm



#### **PBSH-M12D-MM-SR7001**

Field mounted,Shielded,Male,Angled,M12,Coding D,Screw connection,Cable External cable diameter 4.5~6.0 mm



#### **PBSH-M12A-MM-SR7002**

Field mounted,Shielded,Male,Angled,M12,Coding A,Screw connection,Cable External cable diameter 6.0~7.5mm



#### **PBSH-M12B-MM-SR7002**

Field mounted,Shielded,Male,Angled,M12,Coding B,Screw connection,Cable External cable diameter 6.0~7.5mm



### **PBSH-M12D-MM-SR7002**

Field mounted,Shielded,Male,Angled,M12,Coding D,Screw connection,Cable External cable diameter 6.0~7.5mm



### **PASH-M12A-FF-SL7001**

Field mounted,Shielded,Female,Straight,M12,Coding A,Soldering connection,Cable External cable diameter 4.5~6.0 mm



### **PASH-M12B-FF-SL7001**

Field mounted,Shielded,Female,Straight,M12,Coding B,Soldering connection,Cable External cable diameter 4.5~6.0 mm



### **PASH-M12D-FF-SL7001**

Field mounted,Shielded,Female,Straight,M12,Coding D,Soldering connection,Cable  
External cable diameter 4.5~6.0 mm



### **PASH-M12A-FF-SL7002**

Field mounted,Shielded,Female,Straight,M12,Coding A,Soldering connection,Cable  
External cable diameter 6.0~7.5mm



### **PASH-M12B-FF-SL7002**

Field mounted,Shielded,Female,Straight,M12,Coding B,Soldering connection,Cable  
External cable diameter 6.0~7.5mm



### **PASH-M12D-FF-SL7002**

Field mounted,Shielded,Female,Straight,M12,Coding D,Soldering connection,Cable  
External cable diameter 6.0~7.5mm



### **PASH-M12A-MM-SL7001**

Field mounted,Shielded,Male,Straight,M12,Coding A,Soldering connection,Cable  
External cable diameter 4.5~6.0 mm



### **PASH-M12B-MM-SL7001**

Field mounted,Shielded,Male,Straight,M12,Coding B,Soldering connection,Cable  
External cable diameter 4.5~6.0 mm



### **PASH-M12D-MM-SL7001**

Field mounted,Shielded,Male,Straight,M12,Coding D,Soldering connection,Cable  
External cable diameter 4.5~6.0 mm



### **PASH-M12A-MM-SL7002**

Field mounted,Shielded,Male,Straight,M12,Coding A,Soldering connection,Cable  
External cable diameter 6.0~7.5mm



### **PASH-M12B-MM-SL7002**

Field mounted,Shielded,Male,Straight,M12,Coding B,Soldering connection,Cable  
External cable diameter 6.0~7.5mm



### **PASH-M12D-MM-SL7002**

Field mounted,Shielded,Male,Straight,M12,Coding D,Soldering connection,Cable  
External cable diameter 6.0~7.5mm



### **PASH-M12A-FF-SR7001**

Field mounted,Shielded,Female,Angled,M12,Coding A,Soldering connection,Cable  
External cable diameter 4.5~6.0 mm



### **PASH-M12B-FF-SR7001**

Field mounted,Shielded,Female,Angled,M12,Coding B,Soldering connection,Cable  
External cable diameter 4.5~6.0 mm



### **PASH-M12D-FF-SR7001**

Field mounted,Shielded,Female,Angled,M12,Coding D,Soldering connection,Cable  
External cable diameter 4.5~6.0 mm



### **PASH-M12A-FF-SR7002**

Field mounted,Shielded,Female,Angled,M12,Coding A,Soldering connection,Cable  
External cable diameter 6.0~7.5mm



### **PASH-M12B-FF-SR7002**

Field mounted,Shielded,Female,Angled,M12,Coding B,Soldering connection,Cable  
External cable diameter 6.0~7.5mm



### **PASH-M12D-FF-SR7002**

Field mounted,Shielded,Female,Angled,M12,Coding D,Soldering connection,Cable  
External cable diameter 6.0~7.5mm



### **PASH-M12A-MM-SR7001**

Field mounted,Shielded,Male,Angled,M12,Coding A,Soldering connection,Cable  
External cable diameter 4.5~6.0 mm



### **PASH-M12B-MM-SR7001**

Field mounted,Shielded,Male,Angled,M12,Coding B,Soldering connection,Cable  
External cable diameter 4.5~6.0 mm



### **PASH-M12D-MM-SR7001**

Field mounted,Shielded,Male,Angled,M12,Coding D,Soldering connection,Cable  
External cable diameter 4.5~6.0 mm



### **PASH-M12A-MM-SR7002**

Field mounted,Shielded,Male,Angled,M12,Coding A,Soldering connection,Cable  
External cable diameter 6.0~7.5mm



### **PASH-M12B-MM-SR7002**

Field mounted,Shielded,Male,Angled,M12,Coding B,Soldering connection,Cable  
External cable diameter 6.0~7.5mm



### **PASH-M12D-MM-SR7002**

Field mounted,Shielded,Male,Angled,M12,Coding D,Soldering connection,Cable  
External cable diameter 6.0~7.5mm



### **SD-M12A-FF-SF8A**

Sensor/Actuator Female socket,M12,Coding A,Rear panel installation/PG9 Thread  
mounted,With 0.5m litz wires



### **SD-M12B-FF-SF8A**

Sensor/Actuator Female socket,M12,Coding B,Rear panel installation/PG9 Thread mounted,With 0.5m litz wires



### **SD-M12D-FF-SF8A**

Sensor/Actuator Female socket,M12,Coding D,Rear panel installation/PG9 Thread mounted,With 0.5m litz wires



### **SD-M12S-FF-SF8A**

Sensor/Actuator Female socket,M12,Coding S,Rear panel installation/PG9 Thread mounted,With 0.5m litz wires



### **SD-M12T-FF-SF8A**

Sensor/Actuator Female socket,M12,Coding T,Rear panel installation/PG9 Thread mounted,With 0.5m litz wires



### **SD-M12A-FF-SF8B**

Sensor/Actuator Female socket,M12,Coding A,Rear panel installation/M16\*1.5 Thread mounted,With 0.5m litz wires



### **SD-M12B-FF-SF8B**

Sensor/Actuator Female socket,M12,Coding B,Rear panel installation/M16\*1.5 Thread mounted,With 0.5m litz wires



### **SD-M12D-FF-SF8B**

Sensor/Actuator Female socket,M12,Coding D,Rear panel installation/M16\*1.5 Thread mounted,With 0.5m litz wires



### **SD-M12S-FF-SF8B**

Sensor/Actuator Female socket,M12,Coding S,Rear panel installation/M16\*1.5 Thread mounted,With 0.5m litz wires



### **SD-M12T-FF-SF8B**

Sensor/Actuator Female socket,M12,Coding T,Rear panel installation/M16\*1.5 Thread mounted,With 0.5m litz wires



### **SD-M12A-FF-SH8A**

Sensor/Actuator Female socket,M12,Coding A,Front panel installation/PG9 Thread mounted,With 0.5m litz wires,



### **SD-M12B-FF-SH8A**

Sensor/Actuator Female socket,M12,Coding B,Front panel installation/PG9 Thread mounted,With 0.5m litz wires,



### **SD-M12D-FF-SH8A**

Sensor/Actuator Female socket,M12,Coding D,Front panel installation/PG9 Thread mounted,With 0.5m litz wires,



### **SD-M12S-FF-SH8A**

Sensor/Actuator Female socket,M12,Coding S,Front panel installation/PG9 Thread mounted,With 0.5m litz wires,



### **SD-M12T-FF-SH8A**

Sensor/Actuator Female socket,M12,Coding T,Front panel installation/PG9 Thread mounted,With 0.5m litz wires,



### **SD-M12A-FF-SH8B**

Sensor/Actuator Female socket,M12,Coding A,Front panel installation/M16\*1.5 Thread mounted,With 0.5m litz wires



### **SD-M12B-FF-SH8B**

Sensor/Actuator Female socket,M12,Coding B,Front panel installation/M16\*1.5 Thread mounted,With 0.5m litz wires



### **SD-M12D-FF-SH8B**

Sensor/Actuator Female socket,M12,Coding D,Front panel installation/M16\*1.5 Thread mounted,With 0.5m litz wires



**SD-M12S-FF-SH8B**

Sensor/Actuator Female socket,M12,Coding S,Front panel installation/M16\*1.5 Thread mounted,With 0.5m litz wires



**SD-M12T-FF-SH8B**

Sensor/Actuator Female socket,M12,Coding T,Front panel installation/M16\*1.5 Thread mounted,With 0.5m litz wires



**SD-M12A-MM-SF8A**

Sensor/Actuator Female socket,M12,Coding A,Rear panel installation/PG9 Thread mounted,With 0.5m litz wires



**SD-M12B-MM-SF8A**

Sensor/Actuator Female socket,M12,Coding B,Rear panel installation/PG9 Thread mounted,With 0.5m litz wires



#### **SD-M12D-MM-SF8A**

Sensor/Actuator Female socket,M12,Coding D,Rear panel installation/PG9 Thread mounted,With 0.5m litz wires



#### **SD-M12S-MM-SF8A**

Sensor/Actuator Female socket,M12,Coding S,Rear panel installation/PG9 Thread mounted,With 0.5m litz wires



#### **SD-M12T-MM-SF8A**

Sensor/Actuator Female socket,M12,Coding T,Rear panel installation/PG9 Thread mounted,With 0.5m litz wires



#### **SD-M12A-MM-SF8B**

Sensor/Actuator Female socket,M12,Coding A,Rear panel installation/M16\*1.5 Thread mounted,With 0.5m litz wires



### **SD-M12B-MM-SF8B**

Sensor/Actuator Female socket,M12,Coding B,Rear panel installation/M16\*1.5 Thread mounted,With 0.5m litz wires



### **SD-M12D-MM-SF8B**

Sensor/Actuator Female socket,M12,Coding D,Rear panel installation/M16\*1.5 Thread mounted,With 0.5m litz wires



### **SD-M12S-MM-SF8B**

Sensor/Actuator Female socket,M12,Coding S,Rear panel installation/M16\*1.5 Thread mounted,With 0.5m litz wires



### **SD-M12T-MM-SF8B**

Sensor/Actuator Female socket,M12,Coding T,Rear panel installation/M16\*1.5 Thread mounted,With 0.5m litz wires



### **SD-M12A-MM-SH8A**

Sensor/Actuator Female socket,M12,Coding A,Front panel installation/PG9 Thread mounted,With 0.5m litz wires



### **SD-M12B-MM-SH8A**

Sensor/Actuator Female socket,M12,Coding B,Front panel installation/PG9 Thread mounted,With 0.5m litz wires



### **SD-M12D-MM-SH8A**

Sensor/Actuator Female socket,M12,Coding D,Front panel installation/PG9 Thread mounted,With 0.5m litz wires



### **SD-M12S-MM-SH8A**

Sensor/Actuator Female socket,M12,Coding S,Front panel installation/PG9 Thread mounted,With 0.5m litz wires



### **SD-M12T-MM-SH8A**

Sensor/Actuator Female socket,M12,Coding T,Front panel installation/PG9 Thread mounted,With 0.5m litz wires



### **SD-M12A-MM-SH8B**

Sensor/Actuator Female socket,M12,Coding A,Front panel installation/M16\*1.5 Thread mounted,With 0.5m litz wires



### **SD-M12B-MM-SH8B**

Sensor/Actuator Female socket,M12,Coding B,Front panel installation/M16\*1.5 Thread mounted,With 0.5m litz wires



### **SD-M12D-MM-SH8B**

Sensor/Actuator Female socket,M12,Coding D,Front panel installation/M16\*1.5 Thread mounted,With 0.5m litz wires



### **SD-M12S-MM-SH8B**

Sensor/Actuator Female socket,M12,Coding S,Front panel installation/M16\*1.5 Thread mounted,With 0.5m litz wires



### **SD-M12T-MM-SH8B**

Sensor/Actuator Female socket,M12,Coding T,Front panel installation/M16\*1.5 Thread mounted,With 0.5m litz wires



### **SD-M12A-FF-SF8001**

Sensor/Actuator Female socket,M12,Coding A,Rear panel installation/PG9 Thread mounted,Soldering cup



### **SD-M12B-FF-SF8001**

Sensor/Actuator Female socket,M12,Coding B,Rear panel installation/PG9 Thread mounted,Soldering cup



### **SD-M12D-FF-SF8001**

Sensor/Actuator Female socket,M12,Coding D,Rear panel installation/PG9 Thread mounted,Soldering cup



### **SD-M12A-FF-SF8002**

Sensor/Actuator Female socket,M12,Coding A,Rear panel installation/M16\*1.5 Thread mounted,Soldering cup



### **SD-M12B-FF-SF8002**

Sensor/Actuator Female socket,M12,Coding B,Rear panel installation/M16\*1.5 Thread mounted,Soldering cup



### **SD-M12D-FF-SF8002**

Sensor/Actuator Female socket,M12,Coding D,Rear panel installation/M16\*1.5 Thread mounted,Soldering cup



### **SD-M12A-FF-SH8001**

Sensor/Actuator Female socket,M12,Coding A,Front panel installation/PG9 Thread mounted,Soldering cup



### **SD-M12B-FF-SH8001**

Sensor/Actuator Female socket,M12,Coding B,Front panel installation/PG9 Thread mounted,Soldering cup



### **SD-M12D-FF-SH8001**

Sensor/Actuator Female socket,M12,Coding D,Front panel installation/PG9 Thread mounted,Soldering cup



### **SD-M12A-FF-SH8002**

Sensor/Actuator Female socket,M12,Coding A,Front panel installation/M16\*1.5 Thread mounted,Soldering cup



### **SD-M12B-FF-SH8002**

Sensor/Actuator Female socket,M12,Coding B,Front panel installation/M16\*1.5 Thread mounted,Soldering cup



### **SD-M12D-FF-SH8002**

Sensor/Actuator Female socket,M12,Coding D,Front panel installation/M16\*1.5 Thread mounted,Soldering cup



### **SD-M12A-MM-SF8001**

Sensor/Actuator Female socket,M12,Coding A,Rear panel installation/PG9 Thread mounted,Soldering cup



### **SD-M12B-MM-SF8001**

Sensor/Actuator Female socket,M12,Coding B,Rear panel installation/PG9 Thread mounted,Soldering cup



### **SD-M12D-MM-SF8001**

Sensor/Actuator Female socket,M12,Coding D,Rear panel installation/PG9 Thread mounted,Soldering cup



### **SD-M12A-MM-SF8002**

Sensor/Actuator Female socket,M12,Coding A,Rear panel installation/M16\*1.5 Thread mounted,Soldering cup



### **SD-M12B-MM-SF8002**

Sensor/Actuator Female socket,M12,Coding B,Rear panel installation/M16\*1.5 Thread mounted,Soldering cup



### **SD-M12D-MM-SF8002**

Sensor/Actuator Female socket,M12,Coding D,Rear panel installation/M16\*1.5 Thread mounted,Soldering cup



### **SD-M12A-MM-SH8001**

Sensor/Actuator Female socket,M12,Coding A,Front panel installation/PG9 Thread mounted,Soldering cup



### **SD-M12B-MM-SH8001**

Sensor/Actuator Female socket,M12,Coding A,Front panel installation/PG9 Thread mounted,Soldering cup



### **SD-M12D-MM-SH8001**

Sensor/Actuator Female socket,M12,Coding A,Front panel installation/PG9 Thread mounted,Soldering cup



### **SD-M12A-MM-SH8002**

Sensor/Actuator Female socket,M12,Coding A,Front panel installation/M16\*1.5 Thread mounted,Soldering cup



### **SD-M12B-MM-SH8002**

Sensor/Actuator Female socket,M12,Coding B,Front panel installation/M16\*1.5 Thread mounted,Soldering cup



### **SD-M12D-MM-SH8002**

Sensor/Actuator Female socket,M12,Coding D,Front panel installation/M16\*1.5 Thread mounted,Soldering cup



### **SP-M12A-FF-SF8001**

Sensor/Actuator Female socket,M12,Coding A,Unshielded,Rear panel installation/PG9 Thread mounted,180° vertical pins



### **SP-M12B-FF-SF8001**

Sensor/Actuator Female socket,M12,Coding B,Unshielded,Rear panel installation/PG9 Thread mounted,180° vertical pins



### **SP-M12D-FF-SF8001**

Sensor/Actuator Female socket,M12,Coding D,Unshielded,Rear panel installation/PG9 Thread mounted,180° vertical pins



### **SP-M12A-FF-SF8002**

Sensor/Actuator Female socket,M12,Coding A,Unshielded,Rear panel installation/M16\*1.5 Thread mounted,180° vertical pins



### **SP-M12B-FF-SF8002**

Sensor/Actuator Female socket,M12,Coding B,Unshielded,Rear panel installation/M16\*1.5 Thread mounted,180° vertical pins



### **SP-M12D-FF-SF8002**

Sensor/Actuator Female socket,M12,Coding D,Unshielded,Rear panel installation/M16\*1.5 Thread mounted,180° vertical pins



### **SP-M12A-FF-SH8001**

Sensor/Actuator Female socket,M12,Coding A,Unshielded,Front panel installation/PG9  
Thread mounted,180° vertical pins



### **SP-M12B-FF-SH8001**

Sensor/Actuator Female socket,M12,Coding B,Unshielded,Front panel installation/PG9  
Thread mounted,180° vertical pins



### **SP-M12D-FF-SH8001**

Sensor/Actuator Female socket,M12,Coding D,Unshielded,Front panel installation/PG9  
Thread mounted,180° vertical pins



### **SP-M12A-FF-SH8002**

Sensor/Actuator Female socket,M12,Coding A,Unshielded,Front panel installation/M16\*1.5  
Thread mounted,180° vertical pins



### **SP-M12B-FF-SH8002**

Sensor/Actuator Female socket,M12,Coding B,Unshielded,Front panel installation/M16\*1.5  
Thread mounted,180° vertical pins



### **SP-M12D-FF-SH8002**

Sensor/Actuator Female socket,M12,Coding D,Unshielded,Front panel installation/M16\*1.5 Thread mounted,180° vertical pins



### **SP-M12A-MM-SF8001**

Sensor/Actuator Female socket,M12,Coding A,Unshielded,Rear panel installation/PG9 Thread mounted,180° vertical pins



### **SP-M12B-MM-SF8001**

Sensor/Actuator Female socket,M12,Coding B,Unshielded,Rear panel installation/PG9 Thread mounted,180° vertical pins



### **SP-M12D-MM-SF8001**

Sensor/Actuator Female socket,M12,Coding D,Unshielded,Rear panel installation/PG9 Thread mounted,180° vertical pins



### **SP-M12A-MM-SF8002**

Sensor/Actuator Female socket,M12,Coding A,Unshielded,Rear panel installation/M16\*1.5 Thread mounted,180° vertical pins



### **SP-M12B-MM-SF8002**

Sensor/Actuator Female socket,M12,Coding B,Unshielded,Rear panel installation/M16\*1.5 Thread mounted,180° vertical pins



### **SP-M12D-MM-SF8002**

Sensor/Actuator Female socket,M12,Coding D,Unshielded,Rear panel installation/M16\*1.5 Thread mounted,180° vertical pins



### **SP-M12A-MM-SH8001**

Sensor/Actuator Female socket,M12,Coding A,Unshielded,Front panel installation/PG9  
Thread mounted,180° vertical pins



### **SP-M12B-MM-SH8001**

Sensor/Actuator Female socket,M12,Coding B,Unshielded,Front panel installation/PG9  
Thread mounted,180° vertical pins



### **SP-M12D-MM-SH8001**

Sensor/Actuator Female socket,M12,Coding D,Unshielded,Front panel installation/PG9  
Thread mounted,180° vertical pins



### **SP-M12A-MM-SH8002**

Sensor/Actuator Female socket,M12,Coding A,Unshielded,Front panel installation/M16\*1.5 Thread mounted,180° vertical pins



**SP-M12B-MM-SH8002**

Sensor/Actuator Female socket,M12,Coding B,Unshielded,Front panel installation/M16\*1.5 Thread mounted,180° vertical pins



**SP-M12D-MM-SH8002**

Sensor/Actuator Female socket,M12,Coding D,Unshielded,Front panel installation/M16\*1.5 Thread mounted,180° vertical pins



**SPSH-M12A-FF-SF8001**

Sensor/Actuator Female socket,M12,Coding A,Shielded,Rear panel installation/PG9 Thread mounted,180° vertical pins



**SPSH-M12B-FF-SF8001**

Sensor/Actuator Female socket,M12,Coding B,Shielded,Rear panel installation/PG9 Thread mounted,180° vertical pins



**SPSH-M12D-FF-SF8001**

Sensor/Actuator Female socket,M12,Coding D,Shielded,Rear panel installation/PG9 Thread mounted,180° vertical pins



**SPSH-M12X-FF-SF7001**

Sensor/Actuator Female socket,M12,Coding X,Shielded,Rear panel installation/PG9 Thread mounted,180° vertical pins



**SPSH-M12A-FF-SF8002**

Sensor/Actuator Female socket,M12,Coding A,Shielded,Rear panel installation/M16\*1.5 Thread mounted,180° vertical pins



**SPSH-M12B-FF-SF8002**

Sensor/Actuator Female socket,M12,Coding B,Shielded,Rear panel installation/M16\*1.5 Thread mounted,180° vertical pins



### **SPSH-M12D-FF-SF8002**

Sensor/Actuator Female socket,M12,Coding D,Shielded,Rear panel installation/M16\*1.5  
Thread mounted,180° vertical pins



### **SPSH-M12X-FF-SF7002**

Sensor/Actuator Female socket,M12,Coding X,Shielded,Rear panel installation/M16 \*1.5  
Thread mounted,180° vertical pins



### **SPSH-M12X-FF-SF7003**

Sensor/Actuator Female socket,M12,Coding X,Shielded,Rear panel installation/M12\*1.0  
Thread mounted,180° vertical pins



### **SPSH-M12X-FF-SH7001**

Sensor/Actuator Female socket,M12,Coding X,Shielded,Front panel installation/PG9 Thread  
mounted,180° vertical pins



### **SPSH-M12X-FF-SH7002**

Sensor/Actuator Female socket,M12,Coding X,Shielded,Front panel installation/M16\*1.5 Thread mounted,180° vertical pins



### **SPSH-M12A-MM-SF8001**

Sensor/Actuator Female socket,M12,Coding A,Shielded,Rear panel installation/M16\*1.5 Thread mounted,180° vertical pins



### **SPSH-M12B-MM-SF8001**

Sensor/Actuator Female socket,M12,Coding B,Shielded,Rear panel installation/M16\*1.5 Thread mounted,180° vertical pins



### **SPSH-M12D-MM-SF8001**

Sensor/Actuator Female socket,M12,Coding D,Shielded,Rear panel installation/M16\*1.5 Thread mounted,180° vertical pins



### **SPSH-M12A-MM-SF8002**

Sensor/Actuator Female socket,M12,Coding A,Shielded,Rear panel installation/PG9  
Thread mounted,180° vertical pins



### **SPSH-M12B-MM-SF8002**

Sensor/Actuator Female socket,M12,Coding B,Shielded,Rear panel installation/PG9  
Thread mounted,180° vertical pins



### **SPSH-M12D-MM-SF8002**

Sensor/Actuator Female socket,M12,Coding D,Shielded,Rear panel installation/PG9  
Thread mounted,180° vertical pins



### **SR-M12A-FF-SF7003**

Sensor/Actuator Female socket,M12,Coding A,Unshielded,Rear panel  
installation/M12\*1.0 Thread mounted,90° horizontal pins



### **SR-M12B-FF-SF7003**

Sensor/Actuator Female socket,M12,Coding B,Unshielded,Rear panel installation/M12\*1.0 Thread mounted,90° horizontal pins



### **SR-M12D-FF-SF7003**

Sensor/Actuator Female socket,M12,Coding D,Unshielded,Rear panel installation/M12\*1.0 Thread mounted,90° horizontal pins



### **SR-M12A-MM-SF7003**

Sensor/Actuator Female socket,M12,Coding A,Unshielded,Rear panel installation/M12\*1.0 Thread mounted,90° horizontal pins



### **SR-M12B-MM-SF7003**

Sensor/Actuator Female socket,M12,Coding B,Unshielded,Rear panel installation/M12\*1.0 Thread mounted,90° horizontal pins



### **SR-M12D-MM-SF7003**

Sensor/Actuator Female socket,M12,Coding D,Unshielded,Rear panel installation/M12\*1.0 Thread mounted,90° horizontal pins



### **SRSH-M12A-FF-SF7003**

Sensor/Actuator Female socket,M12,Coding A,Shielded,Rear panel installation/M12\*1.0 Thread mounted,90° horizontal pins



### **SRSH-M12B-FF-SF7003**

Sensor/Actuator Female socket,M12,Coding B,Shielded,Rear panel installation/M12\*1.0 Thread mounted,90° horizontal pins



### **SRSH-M12D-FF-SF7003**

Sensor/Actuator Female socket,M12,Coding D,Shielded,Rear panel  
installation/M12\*1.0 Thread mounted,90° horizontal pins



### **SRSH-M12A-MM-SF7003**

Sensor/Actuator Female socket,M12,Coding A,Shielded,Rear panel  
installation/M12\*1.0 Thread mounted,90° horizontal pins



### **SRSH-M12B-MM-SF7003**

Sensor/Actuator Female socket,M12,Coding B,Shielded,Rear panel  
installation/M12\*1.0 Thread mounted,90° horizontal pins



### **SRSH-M12D-MM-SF7003**

Sensor/Actuator Female socket,M12,Coding D,Shielded,Rear panel  
installation/M12\*1.0 Thread mounted,90° horizontal pins



### **PM-M8A-FF-SL7A**

Sensor/Actuator Cable,PVC,black,UL2517,Female plug,Straight,M8,Coding A,Unshielded,Trimming cable end,Cable Cable length:1m



### **PM-M8B-FF-SL7A**

Sensor/Actuator Cable,PVC,black,UL2517,Female plug,Straight,M8,Coding B,Unshielded,Trimming cable end,Cable Cable length:1m



### **PM-M8A-FF-SL7B**

Sensor/Actuator Cable,PUR,black,UL20549,Female plug,Straight,M8,Coding A,Unshielded,Trimming cable end,Cable Cable length:1m



### **PM-M8B-FF-SL7B**

Sensor/Actuator Cable,PUR,black,UL20549,Female plug,Straight,M8,Coding B,Unshielded,Trimming cable end,Cable Cable length:1m



### **PM-M8A-FF-SL7C**

Sensor/Actuator Cable,PVC,black,UL2517,Female plug,Straight,M8,Coding A,Unshielded,Trimming cable end,Cable Cable length:1m,UL Certification



### **PM-M8B-FF-SL7C**

Sensor/Actuator Cable,PVC,black,UL2517,Female plug,Straight,M8,Coding B,Unshielded,Trimming cable end,Cable Cable length:1m,UL Certification



### **PM-M8A-FF-SL7D**

Sensor/Actuator Cable,PUR,black,UL20549,Female plug,Straight,M8,Coding A,Unshielded,Trimming cable end,Cable Cable length:1m,UL Certification



### **PM-M8B-FF-SL7D**

Sensor/Actuator Cable,PUR,black,UL20549,Female plug,Straight,M8,Coding B  
,Unshielded,Trimming cable end,Cable Cable length:1m,UL Certification



### **PM-M8A-FF-SR7A**

Sensor/Actuator Cable,PVC,black,UL2517,Female plug,Angled,M8,Coding  
A,Unshielded,Trimming cable end,Cable Cable length:1m



### **PM-M8B-FF-SR7A**

Sensor/Actuator Cable,PVC,black,UL2517,Female plug,Angled,M8,Coding  
B,Unshielded,Trimming cable end,Cable Cable length:1m



### **PM-M8A-FF-SR7B**

Sensor/Actuator Cable,PUR,black,UL20549,Female plug,Angled,M8,Coding A,Unshielded,Trimming cable end,Cable Cable length:1m



### **PM-M8B-FF-SR7B**

Sensor/Actuator Cable,PUR,black,UL20549,Female plug,Angled,M8,Coding B,Unshielded,Trimming cable end,Cable Cable length:1m



### **PM-M8A-FF-SR7C**

Sensor/Actuator Cable,PVC,black,UL2517,Female plug,Angled,M8,Coding A,Unshielded,Trimming cable end,Cable Cable length:1m,UL Certification



### **PM-M8B-FF-SR7C**

Sensor/Actuator Cable,PVC,black,UL2517,Female plug,Angled,M8,Coding B,Unshielded,Trimming cable end,Cable Cable length:1m,UL Certification



### **PM-M8A-FF-SR7D**

Sensor/Actuator Cable,PUR,black,UL20549,Female plug,Angled,M8,Coding A,Unshielded,Trimming cable end,Cable Cable length:1m,UL Certification



### **PM-M8B-FF-SR7D**

Sensor/Actuator Cable,PUR,black,UL20549,Female plug,Angled,M8,Coding B,Unshielded,Trimming cable end,Cable Cable length:1m,UL Certification



### **PM-M8A-MM-SL7A**

Sensor/Actuator Cable,PVC,black,UL2517,Male plug,Straight,M8,Coding A,Unshielded,Trimming cable end,Cable Cable length:1m



### **PM-M8B-MM-SL7A**

Sensor/Actuator Cable,PVC,black,UL2517,Male plug,Straight,M8,Coding B,Unshielded,Trimming cable end,Cable Cable length:1m



### **PM-M8A-MM-SL7B**

Sensor/Actuator Cable,PUR,black,UL20549,Male plug,Straight,M8,Coding A,Unshielded,Trimming cable end,Cable Cable length:1m



### **PM-M8B-MM-SL7B**

Sensor/Actuator Cable,PUR,black,UL20549,Male plug,Straight,M8,Coding B,Unshielded,Trimming cable end,Cable Cable length:1m



### **PM-M8A-MM-SL7C**

Sensor/Actuator Cable,PVC,black,UL2517,Male plug,Straight,M8,Coding A,Unshielded,Trimming cable end,Cable Cable length:1m,UL Certification



### **PM-M8B-MM-SL7C**

Sensor/Actuator Cable,PVC,black,UL2517,Male plug,Straight,M8,Coding B,Unshielded,Trimming cable end,Cable Cable length:1m,UL Certification



### **PM-M8A-MM-SL7D**

Sensor/Actuator Cable,PUR,black,UL20549,Male plug,Straight,M8,Coding A,Unshielded,Trimming cable end,Cable Cable length:1m,UL Certification



### **PM-M8B-MM-SL7D**

Sensor/Actuator Cable,PUR,black,UL20549,Male plug,Straight,M8,Coding B,Unshielded,Trimming cable end,Cable Cable length:1m,UL Certification



### **PM-M8A-MM-SR7A**

Sensor/Actuator Cable,PVC,black,UL2517,Male plug,Angled,M8,Coding A,Unshielded,Trimming cable end,Cable Cable length:1m



### **PM-M8B-MM-SR7A**

Sensor/Actuator Cable,PVC,black,UL2517,Male plug,Angled,M8,Coding B,Unshielded,Trimming cable end,Cable Cable length:1m



### **PM-M8A-MM-SR7B**

Sensor/Actuator Cable,PUR,black,UL20549,Male plug,Angled,M8,Coding A,Unshielded,Trimming cable end,Cable Cable length:1m



### **PM-M8B-MM-SR7B**

Sensor/Actuator Cable,PUR,black,UL20549,Male plug,Angled,M8,Coding B,Unshielded,Trimming cable end,Cable Cable length:1m



### **PM-M8A-MM-SR7C**

Sensor/Actuator Cable,PVC,black,UL2517,Male plug,Angled,M8,Coding A,Unshielded,Trimming cable end,Cable Cable length:1m,UL Certification



### **PM-M8B-MM-SR7C**

Sensor/Actuator Cable,PVC,black,UL2517,Male plug,Angled,M8,Coding B,Unshielded,Trimming cable end,Cable Cable length:1m,UL Certification



### **PM-M8A-MM-SR7D**

Sensor/Actuator Cable,PVC, black,UL20549,Male plug,Angled,M8,Coding A,Unshielded,Trimming cable end,Cable Cable length:1m,UL Certification



### **PM-M8B-MM-SR7D**

Sensor/Actuator Cable,PVC, black,UL20549,Male plug,Angled,M8,Coding B,Unshielded,Trimming cable end,Cable Cable length:1m,UL Certification



### **PMSH-M8A-FF-SL7C**

Sensor/Actuator Cable,PVC,black,UL2517,Female plug,Straight,M8,Coding A,Shielded,Trimming cable end,Cable Cable length:1m,UL Certification



### **PMSH-M8B-FF-SL7C**

Sensor/Actuator Cable,PVC,black,UL2517,Female plug,Straight,M8,Coding B,Shielded,Trimming cable end,Cable Cable length:1m,UL Certification



### **PMSH-M8A-FF-SL7D**

Sensor/Actuator Cable,PUR,black,UL20549,Female plug,Straight,M8,Coding A,Shielded,Trimming cable end,Cable Cable length:1m,UL Certification



### **PMSH-M8B-FF-SL7D**

Sensor/Actuator Cable,PUR,black,UL20549,Female plug,Straight,M8,Coding B,Shielded,Trimming cable end,Cable Cable length:1m,UL Certification



### **PMSH-M8A-FF-SR7C**

Sensor/Actuator Cable,PVC,black,UL2517,Female plug,Angled,M8,Coding A,Shielded,Trimming cable end,Cable Cable length:1m,UL Certification



### **PMSH-M8B-FF-SR7C**

Sensor/Actuator Cable,PVC,black,UL2517,Female plug,Angled,M8,Coding B,Shielded,Trimming cable end,Cable Cable length:1m,UL Certification



### **PMSH-M8A-FF-SR7D**

Sensor/Actuator Cable,PUR,black,UL20549,Female plug,Angled,M8,Coding A,Shielded,Trimming cable end,Cable Cable length:1m,UL Certification



### **PMSH-M8B-FF-SR7D**

Sensor/Actuator Cable,PUR,black,UL20549,Female plug,Angled,M8,Coding B,Shielded,Trimming cable end,Cable Cable length:1m,UL Certification



### **PMSH-M8A-MM-SL7C**

Sensor/Actuator Cable,PVC,black,UL2517,Male plug,Straight,M8,Coding A,Shielded,Trimming cable end,Cable Cable length:1m,UL Certification



### **PMSH-M8B-MM-SL7C**

Sensor/Actuator Cable,PVC,black,UL2517,Male plug,Straight,M8,Coding B,Shielded,Trimming cable end,Cable Cable length:1m,UL Certification



### **PMSH-M8A-MM-SL7D**

Sensor/Actuator Cable,PUR,black,UL20549,Male plug,Straight,M8,Coding A,Shielded,Trimming cable end,Cable Cable length:1m,UL Certification



### **PMSH-M8B-MM-SL7D**

Sensor/Actuator Cable,PUR,black,UL20549,Male plug,Straight,M8,Coding B,Shielded,Trimming cable end,Cable Cable length:1m,UL Certification



### **PMSH-M8A-MM-SR7C**

Sensor/Actuator Cable,PVC,black,UL2517,Male plug,Angled,M8,Coding A,Shielded,Trimming cable end,Cable Cable length:1m,UL Certification



### **PMSH-M8B-MM-SR7C**

Sensor/Actuator Cable,PVC,black,UL2517,Male plug,Angled,M8,Coding B,Shielded,Trimming cable end,Cable Cable length:1m,UL Certification



### **PMSH-M8A-MM-SR7D**

Sensor/Actuator Cable,PUR,black,UL20549,Male plug,Angled,M8,Coding A,Shielded,Trimming cable end,Cable Cable length:1m,UL Certification



### **PMSH-M8B-MM-SR7D**

Sensor/Actuator Cable,PUR,black,UL20549,Male plug,Angled,M8,Coding B,Shielded,Trimming cable end,Cable Cable length:1m,UL Certification



### **PA-M8A-FF-SL7001**

Field mounted,Unshielded,Female,Straight,M8,Coding A,Soldering connection,Cable External cable diameter 4.0~6.0 mm



### **PA-M8B-FF-SL7001**

Field mounted,Unshielded,Female,Straight,M8,Coding B,Soldering connection,Cable External cable diameter 4.0~6.0 mm



### **PA-M8A-MM-SL7001**

Field mounted,Unshielded,Male,Straight,M8,Coding A,Soldering connection,Cable  
External cable diameter 4.0~6.0 mm



### **PA-M8B-MM-SL7001**

Field mounted,Unshielded,Male,Straight,M8,Coding B,Soldering connection,Cable  
External cable diameter 4.0~6.0 mm



### **PB-M8A-FF-SL7001**

Field mounted,Unshielded,Female,Straight,M8,Coding A,Screw connection,Cable  
External cable diameter 4.0~6.0 mm



### **PB-M8A-MM-SL7001**

Field mounted,Unshielded,Male,Straight,M8,Coding A,Screw connection,Cable  
External cable diameter 4.0~6.0 mm



### **PASH-M8A-FF-SL7001**

Field mounted,Shielded,Female,Straight,M8,Coding A,Soldering connection,Cable  
External cable diameter 4.0~6.0 mm



### **PASH-M8B-FF-SL7001**

Field mounted,Shielded,Female,Straight,M8,Coding B,Soldering connection,Cable  
External cable diameter 4.0~6.0 mm



### **PASH-M8A-MM-SL7001**

Field mounted,Shielded,Male,Straight,M8,Coding A,Soldering connection,Cable  
External cable diameter 4.0~6.0 mm



### **PASH-M8B-MM-SL7001**

Field mounted,Shielded,Male,Straight,M8,Coding B,Soldering connection,Cable  
External cable diameter 4.0~6.0 mm



### **PBSH-M8A-FF-SL7001**

Field mounted,Shielded,Female,Straight,M8,Coding A,Screw connection,Cable  
External cable diameter 4.0~6.0 mm



### **PBSH-M8A-MM-SL7001**

Field mounted,Shielded,Female,Straight,M8,Coding B,Screw connection,Cable  
External cable diameter 4.0~6.0 mm



### **SD-M8A-FF-SF7A**

Sensor/Actuator Female socket,M8,Coding A,Rear panel installation/M10\*0.75 Thread  
mounted,0.5m mlitz wires



### **SD-M8B-FF-SF7A**

Sensor/Actuator Female socket,M8,Coding B,Rear panel installation/M10\*0.75 Thread  
mounted,0.5m mlitz wires



### **SD-M8A-FF-SH7B**

Sensor/Actuator Female socket,M8,Coding A,Front panel installation/M8\*0.5 Thread mounted,0.5m mlitz wires



### **SD-M8B-FF-SH7B**

Sensor/Actuator Female socket,M8,Coding B,Front panel installation/M8\*0.5 Thread mounted,0.5m mlitz wires



### **SD-M8A-MM-SF7C**

Sensor/Actuator Female socket,M8,Coding A,Rear panel installation/M8\*1.0 Thread mounted,0.5m mlitz wires



### **SD-M8B-MM-SF7C**

Sensor/Actuator Female socket,M8,Coding B,Rear panel installation/M8\*1.0 Thread mounted,0.5m mlitz wires



### **SD-M8A-MM-SH7B**

Sensor/Actuator Female socket,M8,Coding A,Front panel installation/M8\*0.5 Thread mounted,0.5m mlitz wires



### **SD-M8B-MM-SH7B**

Sensor/Actuator Female socket,M8,Coding B,Front panel installation/M8\*0.5 Thread mounted,0.5m mlitz wires



### **SD-M8A-FF-SF7001**

Sensor/Actuator Female socket,M8,Coding A,Rear panel installation/M10\*0.75 Thread mounted,Soldering cup



### **SD-M8B-FF-SF7001**

Sensor/Actuator Female socket,M8,Coding B,Rear panel installation/M10\*0.75 Thread mounted,Soldering cup



### **SD-M8A-FF-SH7002**

Sensor/Actuator Female socket,M8,Coding A,Front panel installation/M8\*0.5 Thread mounted,Soldering cup



### **SD-M8B-FF-SH7002**

Sensor/Actuator Female socket,M8,Coding B,Front panel installation/M8\*0.5 Thread mounted,Soldering cup



### **SD-M8A-MM-SF7003**

Sensor/Actuator Female socket,M8,Coding A,Rear panel installation/M8\*1.0 Thread mounted,Soldering cup



### **SD-M8B-MM-SF7003**

Sensor/Actuator Female socket,M8,Coding B,Rear panel installation/M8\*1.0 Thread mounted,Soldering cup



### **SD-M8A-MM-SH7002**

Sensor/Actuator Female socket,M8,Coding A,Front panel installation/M8\*0.5 Thread mounted,Soldering cup



### **SD-M8B-MM-SH7002**

Sensor/Actuator Female socket,M8,Coding B,Front panel installation/M8\*0.5 Thread mounted,Soldering cup



### **SP-M8A-FF-SF7001**

Sensor/Actuator Female socket,M8,Coding A,Rear panel installation/M10\*0.75 Thread mounted,Unshielded,180° vertical pins



### **SP-M8B-FF-SF7001**

Sensor/Actuator Female socket,M8,Coding B,Rear panel installation/M10\*0.75 Thread mounted,Unshielded,180° vertical pins



### **SP-M8A-MM-SF7003**

Sensor/Actuator Female socket,M8,Coding A,Rear panel installation/M8\*1.0 Thread mounted,Unshielded,180° vertical pins



### **SP-M8B-MM-SF7003**

Sensor/Actuator Female socket,M8,Coding B,Rear panel installation/M8\*1.0 Thread mounted,Unshielded,180° vertical pins



### **SP-M8A-FF-SF7005**

Sensor/Actuator Female socket,M8,Coding A,Rear panel installation/M8\*1.0 Thread mounted,Unshielded,180° vertical pins



### **SP-M8A-MM-SF7005**

Sensor/Actuator Female socket,M8,Coding A,Rear panel installation/M8\*1.0 Thread mounted,Unshielded,180° vertical pins



### **SPSH-M8A-FF-SF7001**

Sensor/Actuator Female socket,M8,Coding A,Rear panel installation/M10\*0.75 Thread mounted,Shielded,180° vertical pins



### **SPSH-M8A-MM-SF7003**

Sensor/Actuator Female socket,M8,Coding A,Rear panel installation/M8\*1.0 Thread mounted,Shielded,180° vertical pins



### **SR-M8A-FF-SF7005**

Sensor/Actuator Female socket,M8,Coding A,Rear panel installation/M8\*1.0 Thread mounted,Unshielded,90° horizontal pins



### **SR-M8A-MM-SF7005**

Sensor/Actuator Female socket,M8,Coding A,Rear panel installation/M8\*1.0 Thread mounted,Unshielded,90° horizontal pins



### **SRSH-M8A-FF-SF7001**

Sensor/Actuator Female socket,M8,Coding A,Rear panel installation/M10\*0.75 Thread mounted,Shielded,90° horizontal pins



### **SRSH-M8A-MM-SF7003**

Sensor/Actuator Female socket,M8,Coding A,Rear panel installation/M8\*1.0 Thread mounted,Shielded,90° horizontal pins



### **PM-M5A-FF-SL7A**

Sensor/Actuator Cable,PVC,black,UL2517,Female plug,Straight,M5,Coding A,Unshielded,Trimming cable end,Cable length:1m



### **PM-M5A-FF-SL7B**

Sensor/Actuator Cable,PUR,black,UL20549,Female plug,Straight,M5,Coding A,Unshielded,Trimming cable end,Cable length:1m



### **PM-M5A-FF-SR7A**

Sensor/Actuator Cable,PVC,black,UL2517,Female plug,Angled,M5,Coding A,Unshielded,Trimming cable end,Cable Cable length:1m



### **PM-M5A-FF-SR7B**

Sensor/Actuator Cable,PUR,black,UL20549,Female plug,Angled,M5,Coding A,Unshielded,Trimming cable end,Cable Cable length:1m



### **PM-M5A-MM-SL7A**

Sensor/Actuator Cable,PVC,black,UL2517,Male plug,Straight,M5,Coding A,Unshielded,Trimming cable end,Cable Cable length:1m



### **PM-M5A-MM-SL7B**

Sensor/Actuator Cable,PUR,black,UL20549,Male plug,Straight,M5,Coding A,Unshielded,Trimming cable end,Cable Cable length:1m



### **PM-M5A-MM-SR7A**

Sensor/Actuator Cable,PVC,black,UL2517,Male plug,Angled,M5,Coding A,Unshielded,Trimming cable end,Cable Cable length:1m



### **PM-M5A-MM-SR7B**

Sensor/Actuator Cable,PUR,black,UL20549,Male plug,Angled,M5,Coding A,Unshielded,Trimming cable end,Cable Cable length:1m



### **SD-M5A-FF-SF7B**

Sensor/Actuator Female socket,M5,Coding A,Rear panel installation/M7\*0.75 thread,0.5m mlitz wires



### **SD-M5A-FF-SH7A**

Sensor/Actuator Female socket,M5,Coding A,Front panel installation/M5\*0.5 thread,0.5m mlitz wires



### **SD-M5A-MM-SF7A**

Sensor/Actuator Male socket,M5,Coding A,Rear panel installation/M5\*0.5 thread,0.5m  
mlitz wires



### **SD-M5A-MM-SH7A**

Sensor/Actuator Male socket,M5,Coding A,Front panel installation/M5\*0.5 thread,0.5m  
mlitz wires



### **SD-M5A-FF-SF7002**

Sensor/Actuator Female socket,M5,Coding A,Rear panel installation/M7\*0.75  
thread,Soldering cup



### **SD-M5A-FF-SH7001**

Sensor/Actuator Female socket,M5,Coding A,Front panel installation/M5\*0.5  
thread,Soldering cup



### **SD-M5A-MM-SF7001**

Sensor/Actuator Male socket,M5,Coding A,Rear panel installation/M5\*0.5 thread,Soldering cup



### **SD-M5A-MM-SH7001**

Sensor/Actuator Male socket,M5,Coding A,Front panel installation/M5\*0.5 thread,Soldering cup



### **SP-M5A-FF-SF7002**

Sensor/Actuator Female socket,M5,Coding A,Rear panel installation/M7\*0.75 thread,180° vertical pins



### **SP-M5A-MM-SF7001**

Sensor/Actuator Male socket,M5,Coding A,Rear panel installation/M5\*0.5 thread,180° vertical pins

## По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04  
Ангарск (3955)60-70-56  
Архангельск (8182)63-90-72  
Астрахань (8512)99-46-04  
Барнаул (3852)73-04-60  
Белгород (4722)40-23-64  
Благовещенск (4162)22-76-07  
Брянск (4832)59-03-52  
Владивосток (423)249-28-31  
Владикавказ (8672)28-90-48  
Владимир (4922)49-43-18  
Волгоград (844)278-03-48  
Вологда (8172)26-41-59  
Воронеж (473)204-51-73  
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06  
Ижевск (3412)26-03-58  
Иркутск (395)279-98-46  
Казань (843)206-01-48  
Калининград (4012)72-03-81  
Калуга (4842)92-23-67  
Кемерово (3842)65-04-62  
Киров (8332)68-02-04  
Коломна (4966)23-41-49  
Кострома (4942)77-07-48  
Краснодар (861)203-40-90  
Красноярск (391)204-63-61  
Курск (4712)77-13-04  
Курган (3522)50-90-47  
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13  
Москва (495)268-04-70  
Мурманск (8152)59-64-93  
Набережные Челны (8552)20-53-41  
Нижний Новгород (831)429-08-12  
Новокузнецк (3843)20-46-81  
Ноябрьск (3496)41-32-12  
Новосибирск (383)227-86-73  
Омск (3812)21-46-40  
Орел (4862)44-53-42  
Оренбург (3532)37-68-04  
Пенза (8412)22-31-16  
Петрозаводск (8142)55-98-37  
Псков (8112)59-10-37  
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15  
Рязань (4912)46-61-64  
Самара (846)206-03-16  
Санкт-Петербург (812)309-46-40  
Саратов (845)249-38-78  
Севастополь (8692)22-31-93  
Саранск (8342)22-96-24  
Симферополь (3652)67-13-56  
Смоленск (4812)29-41-54  
Сочи (862)225-72-31  
Ставрополь (8652)20-65-13  
Сургут (3462)77-98-35  
Сыктывкар (8212)25-95-17  
Тамбов (4752)50-40-97  
Тверь (4822)63-31-35

Тольятти (8482)63-91-07  
Томск (3822)98-41-53  
Тула (4872)33-79-87  
Тюмень (3452)66-21-18  
Ульяновск (8422)24-23-59  
Улан-Удэ (3012)59-97-51  
Уфа (347)229-48-12  
Хабаровск (4212)92-98-04  
Чебоксары (8352)28-53-07  
Челябинск (351)202-03-61  
Череповец (8202)49-02-64  
Чита (3022)38-34-83  
Якутск (4112)23-90-97  
Ярославль (4852)69-52-93

**Россия** +7(495)268-04-70

**Казахстан** +(727)345-47-04

**Беларусь** +(375)257-127-884

**Узбекистан** +998(71)205-18-59

**Киргизия** +996(312)96-26-47

эл.почта: [doc@nt-rt.ru](mailto:doc@nt-rt.ru) || сайт: <https://degson.nt-rt.ru>